Procedures and services considered always investigational or cosmetic



Moda Health Commercial Group and Individual Members

Updated 01/29/2021

Code	Code Description	Clinical Edit
0014M	Liver disease, analysis of 3 biomarkers (hyaluronic	
	acid [HA], procollagen III amino terminal peptide	Always investigational
	Focused ultrasound ablation of uterine leiomyomata,	
0071T	including MR guidance	Always Investigational
	Focused ultrasound ablation of uterine leiomyomata,	
	including MR guidance; total leiomyomata volume greater	
0072T	or equal to 200 cc of tissue	Always Investigational
	Oncology (lung) mass spectrometric analysis of galectin-3-	
	binding protein and scavenger receptor cysteine-rich type	
	1 protein M130, with five clinical risk factors (age, smoking	
	status, nodule diameter, nodule-spiculation status and	
	nodule location), utilizing plasma, algorithm reported as a	
0080U	categorical probability of malignancy	Always Investigational
	Nephrology (chronic kidney disease), multiplex	
	electrochemiluminescent immunoassay (ECLIA) of tumor	
	necrosis factor receptor 1A, receptor superfamily 2	
	(TNFR1, TNFR2), and kidney injury molecule-1 (KIM-1)	
	combined with longitudinal clinical data, including APOL1	
	genotype if available, and plasma (isolated fresh or frozen),	
	algorithm reported as probability score for rapid kidney	
0105U	function decline (RKFD)	Always Investigational
	Gastric emptying, serial collection of 7 timed breath	
	specimens, non-radioisotope carbon-13 (13C) spirulina	
040611	substrate, analysis of each specimen by gas isotope ratio	Al a sla saltanta sal
0106U	mass spectrometry, reported as rate of 13CO2 excretion	Always Investigational
	QST testing and interpretation per extremity; using	
0107T	vibration stimuli	Always Investigational
	Clostridium difficile toxin(s) antigen detection by	
	immunoassay technique, stool, qualitative, multiple-step	
0107U	method	Always Investigational
0400=	QST testing and interpretation per extremity; using cooling	
0108T	stimuli	Always Investigational

Code	Code Description	Clinical Edit
	Gastroenterology (Barrett's esophagus), whole	
	slide–digital imaging, including morphometric analysis,	
	computer-assisted quantitative immunolabeling of 9	
	protein biomarkers (p16, AMACR, p53, CD68, COX-2,	
	CD45RO, HIF1a, HER-2, K20) and morphology, formalin-	
	fixed paraffin-embedded tissue, algorithm reported as risk	
0108U	of progression to high-grade dysplasia or cancer	Always Investigational
	QST testing and interpretation per extremity; using heat-	
0109T	pain stimuli	Always Investigational
	Infectious disease (Aspergillus species), real-time PCR for	
	detection of DNA from 4 species (A. fumigatus, A. terreus,	
	A. niger, and A. flavus), blood, lavage fluid, or tissue,	
	qualitative reporting of presence or absence of each	
0109U	species	Always Investigational
	QST testing and interpretation per extremity; using other	
0110T	stimuli	Always Investigational
	Prescription drug monitoring, one or more oral oncology	
	drug(s) and substances, definitive tandem mass	
	spectrometry with chromatography, serum or plasma from	
	capillary blood or venous blood, quantitative report with	
	steady-state range for the prescribed drug(s) when	
0110U	detected	Always Investigational
	Oncology (colon cancer), targeted KRAS (codons 12, 13,	
	and 61) and NRAS (codons 12, 13, and 61) gene analysis	
0111U	utilizing formalin-fixed paraffin-embedded tissue	Always Investigational
	Infectious agent detection and identification, targeted	
	sequence analysis (16S and 18S rRNA genes) with drug-	
0112U	resistance gene	Always Investigational
	Oncology (prostate), measurement of PCA3 and TMPRSS2-	
	ERG in urine and PSA in serum following prostatic massage,	
	by RNA amplification and fluorescence-based detection,	
0113U	algorithm reported as risk score	Always Investigational
	Gastroenterology (Barrett's esophagus), VIM and CCNA1	
	methylation analysis, esophageal cells, algorithm reported	
0114U	as likelihood for Barrett's esophagus	Always Investigational
	Respiratory infectious agent detection by nucleic acid (DNA	
	and RNA), 18 viral types and subtypes and 2 bacterial	
	targets, amplified probe technique, including multiplex	
	reverse transcription for RNA targets, each analyte	
0115U	reported as detected or not detected	Always Investigational

Code	Code Description	Clinical Edit
	Prescription drug monitoring, enzyme immunoassay of 35	
	or more drugs confirmed with LC-MS/MS, oral fluid,	
	algorithm results reported as a patient-compliance	
	measurement with risk of drug to drug interactions for	
0116U	prescribed medications	Always Investigational
	Pain management, analysis of 11 endogenous analytes	
	(methylmalonic acid, xanthurenic acid, homocysteine,	
	pyroglutamic acid, vanilmandelate, 5-hydroxyindoleacetic	
	acid, hydroxymethylglutarate, ethylmalonate, 3-	
	hydroxypropyl mercapturic acid (3-HPMA), quinolinic acid,	
	kynurenic acid), LC-MS/MS, urine, algorithm reported as a	
	pain-index score with likelihood of atypical biochemical	
0117U	function associated with pain	Always Investigational
	Transplantation medicine, quantification of donor-derived	
	cell-free DNA using whole genome next-generation	
044011	sequencing, plasma, reported as percentage of donor-	Al a sla salasalasal
0118U	derived cell-free DNA in the total cell-free DNA	Always Investigational
	Cardiology, ceramides by liquid	
	chromatography–tandem mass spectrometry, plasma, quantitative report with risk score for major cardiovascular	
0119U	events	Always Investigational
01130	Oncology (B-cell lymphoma classification), mRNA, gene	Always investigational
	expression profiling by fluorescent probe hybridization of	
	58 genes (45 content and 13 housekeeping genes),	
	formalin-fixed paraffin-embedded tissue, algorithm	
	reported as likelihood for primary mediastinal B-cell	
	lymphoma (PMBCL) and diffuse large B-cell lymphoma	
0120U	(DLBCL) with cell of origin subtyping in the latter	Always Investigational
	Sickle cell disease, microfluidic flow adhesion (VCAM-1),	,
0121U	whole blood	Always Investigational
	Sickle cell disease, microfluidic flow adhesion (P-Selectin),	-
0122U	whole blood	Always Investigational
	Mechanical fragility, RBC, shear stress and spectral analysis	
0123U	profiling	Always Investigational
	Common carotid intima-media thickness (IMT) study for	
	evaluation of atherosclerotic burden or coronary heart	
0126T	disease risk factor assessment	Always Investigational
	Hereditary breast cancer–related disorders (eg,	
	hereditary breast cancer, hereditary ovarian cancer,	
	hereditary endometrial cancer), genomic sequence analysis	
	and deletion/duplication analysis panel (ATM, BRCA1,	
0129U	BRCA2, CDH1, CHEK2, PALB2, PTEN, and TP53)	Always Investigational

Code	Code Description	Clinical Edit
	Hereditary colon cancer disorders (eg, Lynch syndrome,	
	PTEN hamartoma syndrome, Cowden syndrome, familial	
	adenomatosis polyposis), targeted mRNA sequence	
	analysis panel (APC, CDH1, CHEK2, MLH1, MSH2, MSH6,	
	MUTYH, PMS2, PTEN, and TP53) (List separately in addition	
0130U	to code for primary procedure)	Always Investigational
	Hereditary breast cancer–related disorders (eg,	
	hereditary breast cancer, hereditary ovarian cancer,	
	hereditary endometrial cancer), targeted mRNA sequence	
	analysis panel (13 genes) (List separately in addition to	
0131U	code for primary procedure)	Always Investigational
	Hereditary ovarian cancer–related disorders (eg,	
	hereditary breast cancer, hereditary ovarian cancer,	
	hereditary endometrial cancer), targeted mRNA sequence	
	analysis panel (17 genes) (List separately in addition to	
0132U	code for primary procedure)	Always Investigational
	Hereditary prostate cancerâ€"related disorders, targeted	
	mRNA sequence analysis panel (11 genes) (List separately	
0133U	in addition to code for primary procedure)	Always Investigational
	Hereditary pan cancer (eg, hereditary breast and ovarian	
	cancer, hereditary endometrial cancer, hereditary	
	colorectal cancer), targeted mRNA sequence analysis panel	
	(18 genes) (List separately in addition to code for primary	
0134U	procedure)	Always Investigational
	Hereditary gynecological cancer (eg, hereditary breast and	
	ovarian cancer, hereditary endometrial cancer, hereditary	
	colorectal cancer), targeted mRNA sequence analysis panel	
	(12 genes) (List separately in addition to code for primary	
0135U	procedure)	Always Investigational
	ATM (ataxia telangiectasia mutated) (eg, ataxia	
	telangiectasia) mRNA sequence analysis (List separately in	
0136U	addition to code for primary procedure)	Always Investigational
	PALB2 (partner and localizer of BRCA2)(eg, breast and	
	pancreatic cancer) mRNA sequence analysis (List separately	
0137U	in addition to code for primary procedure)	Always Investigational
	BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2,	
	DNA repair associated) (eg, hereditary breast and ovarian	
	cancer) mRNA sequence analysis (List separately in	
0138U	addition to code for primary procedure)	Always Investigational
	Neurology (autism spectrum disorder [ASD]), quantitative	
	measurements of 6 central carbon metabolites (ie, α -	
	ketoglutarate, alanine, lactate, phenylalanine, pyruvate,	
	and succinate), LC-MS/MS, plasma, algorithmic analysis	
	with result reported as negative or positive (with metabolic	
0139U	subtypes of ASD)	Always Investigational
01000	Januty ped of Mod j	A TANA TO THE STIGATION OF

Code	Code Description	Clinical Edit
	Infectious disease (fungi), fungal pathogen identification,	
	DNA (15 fungal targets), blood culture, amplified probe	
	technique, each target reported as detected or not	
0140U	detected	Always Investigational
	Infectious disease (bacteria and fungi), gram-positive	, ,
	organism identification and drug resistance element	
	detection, DNA (20 gram-positive bacterial targets, 4	
	resistance genes, 1 pan gram-negative bacterial target, 1	
	pan Candida target), blood culture, amplified probe	
	technique, each target reported as detected or not	
0141U	detected	Always Investigational
	Infectious disease (bacteria and fungi), gram-negative	
	bacterial identification and drug resistance element	
	detection, DNA (21 gram-negative bacterial targets, 6	
	resistance genes, 1 pan gram-positive bacterial target, 1	
	pan Candida target), amplified probe technique, each	
0142U	target reported as detected or not detected	Always Investigational
	Drug assay, definitive, 120 or more drugs or metabolites,	
	urine, quantitative liquid chromatography with tandem	
	mass spectrometry (LC-MS/MS) using multiple reaction	
	monitoring (MRM), with drug or metabolite description,	
0143U	comments including sample validation, per date of service	Always Investigational
	Drug assay, definitive, 160 or more drugs or metabolites,	
	urine, quantitative liquid chromatography with tandem	
	mass spectrometry (LC-MS/MS) using multiple reaction	
	monitoring (MRM), with drug or metabolite description,	
0144U	comments including sample validation, per date of service	Always Investigational
	Drug assay, definitive, 65 or more drugs or metabolites,	
	urine, quantitative liquid chromatography with tandem	
	mass spectrometry (LC-MS/MS) using multiple reaction	
	monitoring (MRM), with drug or metabolite description,	
0145U	comments including sample validation, per date of service	Always Investigational
	Drug assay, definitive, 80 or more drugs or metabolites,	
	urine, by quantitative liquid chromatography with tandem	
	mass spectrometry (LC-MS/MS) using multiple reaction	
	monitoring (MRM), with drug or metabolite description,	
0146U	comments including sample validation, per date of service	Always Investigational

Code	Code Description	Clinical Edit
	Drug assay, definitive, 85 or more drugs or metabolites,	
	urine, quantitative liquid chromatography with tandem	
	mass spectrometry (LC-MS/MS) using multiple reaction	
	monitoring (MRM), with drug or metabolite description,	
0147U	comments including sample validation, per date of service	Always Investigational
	Drug assay, definitive, 100 or more drugs or metabolites,	
	urine, quantitative liquid chromatography with tandem	
	mass spectrometry (LC-MS/MS) using multiple reaction	
	monitoring (MRM), with drug or metabolite description,	
0148U	comments including sample validation, per date of service	Always Investigational
	Drug assay, definitive, 60 or more drugs or metabolites,	
	urine, quantitative liquid chromatography with tandem	
	mass spectrometry (LC-MS/MS) using multiple reaction	
	monitoring (MRM), with drug or metabolite description,	
0149U	comments including sample validation, per date of service	Always Investigational
01430	comments including sample variation, per date of service	7 TWAYS THE SCIENCIONAL
	Drug assay, definitive, 120 or more drugs or metabolites,	
	urine, quantitative liquid chromatography with tandem	
	mass spectrometry (LC-MS/MS) using multiple reaction	
	monitoring (MRM), with drug or metabolite description,	
0150U	comments including sample validation, per date of service	Always Investigational
	Infectious disease (bacterial or viral respiratory tract	
	infection), pathogen specific nucleic acid (DNA or RNA), 33	
	targets, real-time semi-quantitative PCR, bronchoalveolar	
	lavage, sputum, or endotracheal aspirate, detection of 33	
	organismal and antibiotic resistance genes with limited	
0151U	semi-quantitative results	Always Investigational
	Infectious disease (bacteria, fungi, parasites, and DNA	
	viruses), DNA, PCR and next-generation sequencing,	
	plasma, detection of >1,000 potential microbial organisms	
0152U	for significant positive pathogens	Always Investigational
	Oncology (broact) mPNIA gang synroccion profiling by	
	Oncology (breast), mRNA, gene expression profiling by next-generation sequencing of 101 genes, utilizing formalin-	
	fixed paraffin-embedded tissue, algorithm reported as a	
	,	
0153U	, -	Always Investigational
	, , , , , , , , , , , , , , , , , , , ,	
0154U	FGFR3-TACC3v3)	Always Investigational
0153U 0154U	triple negative breast cancer clinical subtype(s) with information on immune cell involvement FGFR3 (fibroblast growth factor receptor 3) gene analysis (ie, p.R248C [c.742C>T], p.S249C [c.746C>G], p.G370C [c.1108G>T], p.Y373C [c.1118A>G], FGFR3-TACC3v1, and FGFR3-TACC3v3)	Always Investigational Always Investigational

Code	Code Description	Clinical Edit
code	PIK3CA (phosphatidylinositol-4,5-bisphosphate 3-kinase,	Cillical Euit
	catalytic subunit alpha) (eg, breast cancer) gene analysis	
	(ie, p.C420R, p.E542K, p.E545A, p.E545D [g.1635G>T only],	
	p.E545G, p.E545K, p.Q546E, p.Q546R, p.H1047L,	
0155U	p.H1047R, p.H1047Y)	Always Investigational
01330	Copy number (eg, intellectual disability, dysmorphology),	Always ilivestigational
0156U	sequence analysis	Always Investigational
01300	sequence analysis	Always investigational
	APC (APC regulator of WNT signaling pathway) (eg, familial	
	adenomatosis polyposis [FAP]) mRNA sequence analysis	
0157U	(List separately in addition to code for primary procedure)	Always Investigational
01370	MLH1 (mutL homolog 1) (eg, hereditary non-polyposis	7 iivays iiivestigationai
	colorectal cancer, Lynch syndrome) mRNA sequence	
	analysis (List separately in addition to code for primary	
0158U	procedure)	Always Investigational
01300	p. occus. c _j	7 iii ays iii estigational
	Computer-aided detection, including computer algorithm	
	analysis of MRI image data for lesion	
	detection/characterization, pharmacokinetic analysis, with	
	further physician review for interpretation, breast MRI (List	
0159T	separately in addition to code for primary procedure)	Always Investigational
	MSH2 (mutS homolog 2) (eg, hereditary colon cancer,	, ,
	Lynch syndrome) mRNA sequence analysis (List separately	
0159U	in addition to code for primary procedure)	Always Investigational
	MSH6 (mutS homolog 6) (eg, hereditary colon cancer,	,
	Lynch syndrome) mRNA sequence analysis (List separately	
0160U	in addition to code for primary procedure)	Always Investigational
	PMS2 (PMS1 homolog 2, mismatch repair system	
	component) (eg, hereditary non-polyposis colorectal	
	cancer, Lynch syndrome) mRNA sequence analysis (List	
0161U	separately in addition to code for primary procedure)	Always Investigational
	Hereditary colon cancer (Lynch syndrome), targeted mRNA	
	sequence analysis panel (MLH1, MSH2, MSH6, PMS2) (List	
0162U	separately in addition to code for primary procedure)	Always Investigational
	Computer-aided detection (CAD) (computer algorithm	
	analysis of digital image data for lesion detection) with	
	further physician review for interpretation and report, with	
	or without digitization of film radiographic images, chest	
	radiograph(s), performed concurrent with primary	
	interpretation (List separately in addition to code for	
0174T	primary procedure	Always Investigational

Code	Code Description	Clinical Edit
	Computer-aided detection (CAD) (computer algorithm	
	analysis of digital image data for lesion detection) with	
	further physician review for interpretation and report, with	
	or without digitization of film radiographic images, chest	
	radiograph(s), performed remote from primary	
0175T	interpretation	Always Investigational
	Excision of rectal tumor, transanal endoscopic	.,
	microsurgical approach (ie, TEMS), including muscularis	
0184T	propria (ie, full thickness)	Always Investigational
	Measurement of ocular blood flow by repetitive	, 0
	intraocular pressure sampling, with interpretation and	
0198T	report	Always Investigational
	'	, 0
	Percutaneous sacral augmentation (sacroplasty), unilateral	
0200T	injection(s), including the use of a balloon or mechanical de	Always Investigational
	Percutaneous sacral augmentation (sacroplasty), bilateral	.,
	injection(s), including the use of a balloon or mechanical	
0201T	dev	Always Investigational
	Posterior vertebral joint(s) arthroplasty (eg facet joint(s)	.,
	replacement) including facetectomy, laminectomy,	
0202T	foraminoto	Always Investigational
	Algorithmic analysis, remote, of electrocardiographic-	· ·····a yo ····· coulgational
	derived data with computer probability assessment,	
0206T	including repor	Always Investigational
	Evacuation of meibomian glands, automated, using heat	- mayo mreedagadoman
0207T	and intermittent pressure, unilateral	Always Investigational
0207.	Pure tone audiometry (threshold), automated (includes	- mayo maconganoma
0208T	use of computer-assisted device); air only	Always Investigational
	Pure tone audiometry (threshold), automated (includes	· ·····a yo ····· coulgational
0209T	use of computer-assisted device); air and bone	Always Investigational
02001	Speech audiometry threshold, automated (includes use of	7 iii ays ii vestigationai
0210T	computer-assisted device);	Always Investigational
02101	Speech audiometry threshold, automated (includes use of	7 iii ays ii vestigationai
0211T	computer-assisted device); with speech recognition	Always Investigational
	Comprehensive audiometry threshold evaluation and	
	speech recognition (0209T, 0211T combined), automated	
0212T	(includes use of	Always Investigational
 -	X	
	 Placement of a posterior intrafacet implant(s), unilateral or	
0219T	bilateral, including imaging and placement of bone graft(s	Always Investigational
	and placement of both grants	a yo v cotigational
	Placement of a posterior intrafacet implant(s), unilateral or	
0220T	bilateral, including imaging and placement of bone graft(s	Always Investigational
02201	phateral, melading imaging and placement of bone grants	Anvays investigational

Code	Code Description	Clinical Edit
	Placement of a posterior intrafacet implant(s), unilateral or	
0221T	bilateral, including imaging and placement of bone graft(s	Always Investigational
	, , , , , , , , , , , , , , , , , , , ,	, ,
	Placement of a posterior intrafacet implant(s), unilateral or	
0222T	bilateral, including imaging and placement of bone graft(s	Always Investigational
	Injection(s), anesthetic agent and/or steroid,	•
	transforaminal epidural, with ultrasound guidance, cervical	
0228T	or thoracic; single level	Always Investigational
	Injection(s), anesthetic agent and/or steroid,	
	transforaminal epidural, with ultrasound guidance, cervical	
0229T	or thoracic; ea addl level	Always Investigational
	Injection(s), anesthetic agent and/or steroid,	
	transforaminal epidural, with ultrasound guidance, lumbar	
0230T	or sacral; single level	Always Investigational
	Injection(s), anesthetic agent and/or steroid,	
	transforaminal epidural, with ultrasound guidance, lumbar	
0231T	or sacral; ea addl level	Always Investigational
	Injection(s), platelet rich plasma, any tissue, including	
	image guidance, harvesting and preparation when	
0232T	performed	Always Investigational
	Skin advanced glycation endproducts measurement by	
0233T	multi-wavelength fluorescent spectroscopy	Always Investigational
	Transluminal peripheral atherectomy, open or	
	percutaneous, including radiological supervision and	
0234T	interpretation; renal artery	Always Investigational
	Transluminal peripheral atherectomy, open or	
	percutaneous, including radiological supervision and	
0235T	interpretation; visceral artery (except renal), each vessel	Always Investigational
	Transluminal peripheral atherectomy, open or	
	percutaneous, including radiological supervision and	
0236T	interpretation; abdominal aorta	Always Investigational
	Transluminal peripheral atherectomy, open or	
	percutaneous, including radiological supervision and	
	interpretation; brachiocephalic trunk and branches, each	
0237T	vessel	Always Investigational
	Transluminal peripheral atherectomy, open or	
0005=	percutaneous, including radiological supervision and	
0238T	interpretation; iliac artery, each vessel	Always Investigational
	Insertion of anterior segment aqueous drainage device,	
	without extraocular reservoir; internal approach, into the	
0253T	suprachoroidal space	Always Investigational

Code	Code Description	Clinical Edit
	Endovascular repair of iliac artery bifurcation using	
	bifurcated endoprosthesis from the common iliac artery	
0254T	into both the external and internal iliac artery, unilateral;	Always Investigational
	Intramuscular autologous bone marrow cell therapy, with	
	preparation of harvested cells, multiple injections, one leg,	
0263T	including ultrasound guidance, if performed; complete	Always Investigational
	Intramuscular autologous bone marrow cell therapy, with	
	preparation of harvested cells, multiple injections, one leg,	
0264T	including ultrasound guidance, if performed; complete	Always Investigational
	Intramuscular autologous bone marrow cell therapy, with	
0265	preparation of harvested cells, multiple injections, one leg,	Alvana lavastisatisas
0265T	including ultrasound guidance, if performed; unilateral	Always Investigational
	Implantation or replacement of carotid sinus baroreflex	
	activation device; total system (includes generator	
OOCCT	placement, unilateral or bilateral lead placement,	Alvana lavastisatisas
0266T	intraoperative	Always Investigational
	Implantation or replacement of carotid sinus baroreflex	
	activation device; lead only, unilater (includes intra-	
0267T	operative interrogation, programming, and repositioning, when pe	Always Investigational
02671	Implantation or replacement of carotid sinus baroreflex	Always Investigational
	activation device; pulse generator only (includes intra-	
	operative interrogation, programming, and repositioning,	
0268T	when	Always Investigational
02081	Revision or removal of carotid sinus baroreflex activation	Always investigational
	device; total system (includes generator placement,	
	unilateral or bilateral lead placement, inra-operative	
0269T	interrorg	Always Investigational
02031	Revision or removal of carotid sinus baroreflex activation	/ iways investigational
	device; lead only, unilateral (includes intra-operative	
	interrogation, programming, and repositioning, when	
0270T	performe	Always Investigational
	Revision or removal of carotid sinus baroreflex activation	272 200.000.00.00
	device; pulse generator only (includes intra-operative	
	interrogation, programming, and repositioning, when	
0271T	performe	Always Investigational
	Interrogation device evaluation (in person), carotid sinus	
	varoreflex activation system, including telemetric iterative	
0272T	communication with the implantable device to monitor	Always Investigational

Code	Code Description	Clinical Edit
	Interrogation device evaluation (in person), carotid sinus	
	varoreflex activation system, including telemetric iterative	
0273T	communication with the implantable device to monitor	Always Investigational
	Percutaneous laminotomy/laminectomy (intralaminar	
	approach) for decompression of neural elements, (with or	
	without ligamentous resection, discectomy, facetectomy	
0274T	and/or forami	Always Investigational
	Percutaneous laminotomy/laminectomy (intralaminar	
	approach) for decompression of neural elements, (with or	
	without ligamentous resection, discectomy, facetectomy	
0275T	and/or forami	Always Investigational
	Transcutaneous Electrical Modulation Pain Reprocessing,	
0278T	Each Treatment Session (Includes Placement Of Electrodes)	Always Investigational
02701	Corneal incisions in the recipient cornea created using a	Always investigational
	laser, in preparation for penetrating or lamellar	
	keratoplasty (List separately in addition to code for primary	
0290T	procedure)	Always Investigational
02301	Vagus Nerve Blocking; Laparoscopic Implant Neurostim	7 iivays iiivestigationai
	Electrode Array, Vagal Trunks, W Implantation Of Pulse	
0312T	Generator	Always Investigational
	Vagus Nerve Blocking Therapy; Laparoscopic Revision Or	7
	Replacement Of Vagal Trunk Neurostimulator Electrode	
0313T	Array	Always Investigational
	Vagus Nerve Blocking Therapy; Laparoscopic Removal Of	1,1
	Vagal Trunk Neurostimulator Electrode Array And Pulse	
0314T	Generator	Always Investigational
	Vagus Nerve Blocking Therapy (Morbid Obesity); Removal	, ,
0315T	Of Pulse Generator	Always Investigational
	Vagus Nerve Blocking Therapy (Morbid Obesity);	,
0316T	Replacement Of Pulse Generator	Always Investigational
	Vagus Nerve Blocking Therapy; Neurostimulator Pulse	
	Generator Electronic Analysis, Includes Reprogramming	
0317T	When Performed	Always Investigational
	Insertion or replacement of subcutaneous implantable	
0319T	defibrillator system with subcutaneous electrode	Always Investigational
0320T	Insertion of subcutaneous defibrillator electrode	Always Investigational
	Monitoring of intraocular pressure for 24 hours or longer,	
0329T	unilateral or bilateral, with interpretation and report	Always Investigational
	Tear film imaging, unilateral or bilateral, with	
0330T	interpretation and report	Always Investigational
0224=	Myocardial sympathetic innervation imaging, planar	A1
0331T	qualitative and quantitative assessment;	Always Investigational

Code	Code Description	Clinical Edit
Code	Myocardial sympathetic innervation imaging, planar	Chilical Lait
	qualitative and quantitative assessment; with tomographic	
0332T	SPECT	Always Investigational
03321	Visual evoked potential, screening of visual acuity,	7 iii ays iii estigational
0333T	automated, with report	Always Investigational
03331	Extra-Osseous Subtalar Joint Implant For Talotarsal	/ iways investigational
0335T	Stabilization	Always Investigational
	Endothelial Function Assessment, Using Peripheral	/ invays investigational
	Vascular Response To Reactive Hyperemia, Non-Invasive,	
0337T	Uni/Bilat	Always Investigational
03371	Transcatheter Renal Sympathetic Denervation,	/tiways investigational
0338T	Percutaneous Approach; Unilateral	Always Investigational
03301	Transcatheter Renal Sympathetic Denervation,	Always investigational
0339T	Percutaneous Approach; Bilateral	Always Investigational
03331	therapeutic Apheresis with Selective Hdl Delipidation and	Always investigational
0342T	Plasma Reinfusion	Always Investigational
03421	Transcatheter mitral valve repair percutaneous approach	Always investigational
0345T	via the coronary sinus	Always Investigational
03431	Placement of interstitial device(s) in bone for	Always investigational
0247T	` '	Always Investigational
0347T	radiostereometric analysis (RSA)	Always Investigational
	Radiologic examination, radiostereometric analysis (RSA);	
02407	spine, (includes, cervical, thoracic and lumbosacral, when	Al a discoult and a
0348T	performed)	Always Investigational
	Radiologic examination, radiostereometric analysis (RSA);	
02407	upper extremity(ies), (includes shoulder, elbow and wrist,	Al a discontinuitant
0349T	when performed)	Always Investigational
	Radiologic examination, radiostereometric analysis (RSA);	
00507	lower extremity(ies), (includes hip, proximal femur, knee	
0350T	and ankle, when performed)	Always Investigational
	Optical coherence tomography of breast or axillary lymph	
	node, excised tissue, each specimen; real time	
0351T	intraoperative	Always Investigational
	Optical coherence tomography of breast or axillary lymph	
	node, excised tissue, each specimen; interpretation and	
0352T	report, real time or referred	Always Investigational
	Optical coherence tomography of breast, surgical cavity;	
0353T	real time intraoperative	Always Investigational
	Optical coherence tomography of breast, surgical cavity;	
0354T	interpretation and report, real time or referred	Always Investigational
	Insertion of drug-eluting implant (including punctal dilation	
	and implant removal when performed) into lacrimal	
0356T	canaliculus, each	Always Investigational
	Bioelectrical impedance analysis whole body composition	
	assessment, supine position, with interpretation and	
0358T	report	Always Investigational

Code	Code Description	Clinical Edit
	Anoscopy with directed submucosal injection of bulking	
0377T	agent for fecal incontinence	Always Investigational
	20	.,
	Visual field assessment, with concurrent real time data	
	analysis and accessible data storage with patient initiated	
0378T	data transmitted to a remote surveillance center for up to	Always Investigational
	, , , , , , , , , , , , , , , , , , ,	.,
	Visual field assessment, with concurrent real time data	
	analysis and accessible data storage with patient initiated	
0379T		Always Investigational
	External heart rate and 3-axis accelerometer data	
	recording up to 14 days to assess changes in heart rate and	
	to monitor motion analysis for the purposes of diagnosing	
	nocturnal epilepsy seizure events; includes report,	
	scanning analysis with report, review and interpretation by	
0381T	a physician or other qualified staff	Always Investigational
	External heart rate and 3-axis accelerometer data	
	recording up to 14 days to assess changes in heart rate and	
	to monitor motion analysis for the purposes of diagnosing	
	nocturnal epilepsy seizure events; includes report,	
	scanning analysis with report, review and interpretation by	
0382T	a physician or other qualified staff	Always Investigational
	External heart rate and 3-axis accelerometer data	.,
	recording from 15 to 30 days to assess changes in heart	
	rate and to monitor motion analysis for the purposes of	
	diagnosing nocturnal epilepsy seizure events; includes	
	report, scanning analysis with report, review and	
0383T	interpretation by a physician or other qualified staff	Always Investigational
	External heart rate and 3-axis accelerometer data	· ·
	recording from 15 to 30 days to assess changes in heart	
	rate and to monitor motion analysis for the purposes of	
	diagnosing nocturnal epilepsy seizure events; includes	
	report, scanning analysis with report, review and	
0384T	interpretation by a physician or other qualified staff	Always Investigational
	External heart rate and 3-axis accelerometer data	
	recording more than 30 days to assess changes in heart	
	rate and to monitor motion analysis for the purposes of	
	diagnosing nocturn epilepsy seizure events; includes	
0385T	report, scanning analysis with report, review	Always Investigational
	External heart rate and 3-axis accelerometer data	
	recording more than 30 days to assess changes in heart	
	rate to monitor motion analysis for the purposes of	
	diagnosing nocturnal epilepsy seizure events; includes	
	report, scanning analysis with report, review and	
0386T	interpretation by a physician or other qualified staff	Always Investigational

Code	Code Description	Clinical Edit
	Transcatheter insertion or replacement of permanent	
0387T	leadless pacemaker, ventricular	Always Investigational
	Transcatheter removal of permanent leadless pacemaker,	, ,
0388T	ventricular	Always Investigational
	Programming device evaluation (in person) with iterative	, ,
	adjustment of the implantable device to test the function	
	of the device and select optimal permanent programmed	
0389T	values	Always Investigational
	Peri-procedural device evaluation (in person) and	,
	programming of device system parameters before or after	
	a surgery, procedure or test with analysis, review and	
0390T	report, leadle	Always Investigational
	Interrogation device evaluation (in person) with analysis,	
	review and report, includes connection, recording and	
	disconnection per patient encounter, leadless pacemaker	
0391T	system	Always Investigational
	Intra-operative use of kinetic balance sensor for implant	
	stability during knee replacement arthroplasty (List	
0396T	separately in addition to code for primary procedure)	Always Investigational
	Magnetic resonance image guided high intensity focused	
	ultrasound (MRgFUS), stereotactic ablation lesion,	
	intracranial for movement disorder including stereotactic	
0398T	navigation and frame placement when performed	Always Investigational
	Multi-spectral digital skin lesion analysis of clinically	
	atypical cutaneous pigmented lesions for detection of	
	melanomas and high risk melanocytic atypia; one to five	
0400T	lesions	Always Investigational
	Multi-spectral digital skin lesion analysis of clinically	
	atypical cutaneous pigmented lesions for detection of	
	melanomas and high risk melanocytic atypia; six or more	
0401T	lesions	Always Investigational
	Nasal endoscopy, surgical, ethmoid sinus, placement of	
0406T	drug eluting implant;	Always Investigational
	Nasal endoscopy, surgical, ethmoid sinus, placement of	
	drug eluting implant; with biopsy, polypectomy or	
0407T	debridement	Always Investigational
	Insertion or replacement of permanent cardiac	
	contractility modulation system, including contractility	
	evaluation when performed, and programming of sensing	
	and therapeutic parameters; pulse generator with	
0408T	transvenous electrodes	Always Investigational

Code	Code Description	Clinical Edit
	Insertion or replacement of permanent cardiac	
	contractility modulation system, including contractility	
	evaluation when performed, and programming of sensing	
0409T	and therapeutic parameters; pulse generator only	Always Investigational
	Insertion or replacement of permanent cardiac	
	contractility modulation system, including contractility	
	evaluation when performed, and programming of sensing	
0410T	and therapeutic parameters; atrial electrode only	Always Investigational
	la continua de la constanta de	
	Insertion or replacement of permanent cardiac	
	contractility modulation system, including contractility	
04447	evaluation when performed, and programming of sensing	
0411T	and therapeutic parameters; ventricular electrode only	Always Investigational
0444	Removal and replacement of permanent cardiac	
0414T	contractility modulation system pulse generator only	Always Investigational
	Repositioning of previously implanted cardiac contractility	
	modulation transvenous electrode, (atrial or ventricular	
0415T	lead)	Always Investigational
	Relocation of skin pocket for implanted cardiac	
0416T	contractility modulation pulse generator	Always Investigational
	Programming device evaluation (in person) with iterative	
	adjustment of the implantable device to test the function	
	of the device and select optimal permanent programmed	
0447T	values with analysis, including review and report,	A l
0417T	implantable cardiac contractility modulation system	Always Investigational
	Interrogation device evaluation (in person) with analysis,	
	review and report, includes connection, recording and	
0440T	disconnection per patient encounter; implantable cardiac	A l
0418T	contractility modulation system	Always Investigational
	Destruction neurofibromata, extensive, (cutaneous, dermal	
0410T	extending into subcutaneous); face, head and neck, greater than 50 neurofibromata	Always Investigational
0419T	than 50 neuronbromata	Always Investigational
	Destruction neurofibromata, extensive, (cutaneous, dermal	
	extending into subcutaneous); trunk and extremities,	
0420T	extensive, greater than 100 neurofibromata	Always Investigational
	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
	Transurethral waterjet ablation of prostate, including	
	control of post-operative bleeding, including ultrasound	
	guidance, complete (vasectomy, meatotomy,	
	cystourethroscopy, urethral calibration and/or dilation,	
0421T	and internal urethrotomy are included when performed)	Always Investigational

Code	Code Description	Clinical Edit
	Tactile breast imaging by computer-aided tactile sensors,	
0422T	unilateral or bilateral	Always Investigational
0423T	Secretory type II phospholipase A2 (sPLA2-IIA)	Always Investigational
	Insertion or replacement of neurostimulator system for	, ,
	treatment of central sleep apnea; complete system	
	(transvenous placement of right or left stimulation lead,	
0424T	sensing lead, implantable pulse generator)	Always Investigational
	Insertion or replacement of neurostimulator system for	,
0425T	treatment of central sleep apnea; sensing lead only	Always Investigational
	Insertion or replacement of neurostimulator system for	, ,
0426T	treatment of central sleep apnea; stimulation lead only	Always Investigational
	Insertion or replacement of neurostimulator system for	, ,
0427T	treatment of central sleep apnea; pulse generator only	Always Investigational
	Removal of neurostimulator system for treatment of	, ,
0428T	central sleep apnea; pulse generator only	Always Investigational
	Removal of neurostimulator system for treatment of	, ,
0429T	central sleep apnea; sensing lead only	Always Investigational
	Removal of neurostimulator system for treatment of	, ,
0430T	central sleep apnea; stimulation lead only	Always Investigational
	,	, ,
	Removal and replacement of neurostimulator system for	
0431T	treatment of central sleep apnea, pulse generator only	Always Investigational
	Repositioning of neurostimulator system for treatment of	171 211 611 1
0432T	central sleep apnea; stimulation lead only	Always Investigational
	Repositioning of neurostimulator system for treatment of	, ,
0433T	central sleep apnea; sensing lead only	Always Investigational
	, ,	, ,
	Interrogation device evaluation implanted neurostimulator	
0434T	pulse generator system for central sleep apnea	Always Investigational
	Programming device evaluation of implanted	, ,
	neurostimulator pulse generator system for central sleep	
0435T	apnea; single session	Always Investigational
	Programming device evaluation of implanted	, ,
	neurostimulator pulse generator system for central sleep	
0436T	apnea; during sleep study	Always Investigational
	Ablation, percutaneous, cryoablation, includes imaging	, 0
0440T	guidance; upper extremity distal/peripheral nerve	Always Investigational
	Ablation, percutaneous, cryoablation, includes imaging	, ,
0441T	guidance; lower extremity distal/peripheral nerve	Always Investigational
	Ablation, percutaneous, cryoablation, includes imaging	,
	guidance; nerve plexus or other truncal nerve (eg, brachial	
0442T	plexus, pudendal nerve)	Always Investigational
	Real time spectral analysis of prostate tissue by	272 22302370
	fluorescence spectroscopy (Use 0443T in conjunction with	
0443T	55700) (Report 0443T only once per session)	Always Investigational
J 1 1 J 1	133, 33, (heport of 131 only office per session)	,ays investigational

Code	Code Description	Clinical Edit
	Initial placement of a drug-eluting ocular insert under one	
	or more eyelids, including fitting, training, and insertion,	
0444T	unilateral or bilateral	Always Investigational
	Subsequent placement of a drug-eluting ocular insert	.,
	under one or more eyelids, including re-training, and	
	removal of existing insert, unilateral or bilateral (For	
	insertion and removal of drug-eluting implant into lacrimal	
0445T	canaliculus, use 0356T)	Always Investigational
	Creation of subcutaneous pocket with insertion of	
	implantable interstitial glucose sensor, including system	
0446T	activation and patient training	Always Investigational
	Removal of implantable interstitial glucose sensor from	
0447T	subcutaneous pocket via incision	Always Investigational
	Removal of implantable interstitial glucose sensor with	
	creation of subcutaneous pocket at different anatomic site	
	and insertion of new implantable sensor, including system	
0448T	activation	Always Investigational
	Insertion of aqueous drainage device, without extraocular	
	reservoir, internal approach, into the subconjunctival	
0449T	space; initial device	Always Investigational
	Insertion of aqueous drainage device, without extraocular	
	reservoir, internal approach, into the subconjunctival	
	space; each additional device (List separately in addition to	
0450T	code for primary procedure)	Always Investigational
	Insertion or replacement of a permanently implantable	
	aortic counterpulsation ventricular assist system,	
	endovascular approach, and programming of sensing and	
0451T	therapeutic parameters; complete system	Always Investigational
	nsertion or replacement of a permanently implantable	
	aortic counterpulsation ventricular assist system,	
	endovascular approach, and programming of sensing and	
	therapeutic parameters; aortic counterpulsation device	
0452T	and vascular hemostatic seal	Always Investigational
	Insertion or replacement of a permanently implantable	
	aortic counterpulsation ventricular assist system,	
	endovascular approach, and programming of sensing and	
0453T	therapeutic parameters; mechano-electrical skin interface	Always Investigational
	Insertion or replacement of a permanently implantable	
	aortic counterpulsation ventricular assist system,	
	endovascular approach, and programming of sensing and	
0454T	therapeutic parameters; subcutaneous electrode	Always Investigational

Code	Code Description	Clinical Edit
	Removal of permanently implantable aortic	
	counterpulsation ventricular assist system; complete	
	system (aortic counterpulsation device, vascular	
	hemostatic seal, mechano-electrical skin interface and	
0455T	electrodes)	Always Investigational
	Removal of permanently implantable aortic	, 0
	counterpulsation ventricular assist system; aortic	
0456T	counterpulsation device and vascular hemostatic seal	Always Investigational
	Removal of permanently implantable aortic	, 0
	counterpulsation ventricular assist system; mechano-	
0457T	lelectrical skin interface	Always Investigational
	Removal of permanently implantable aortic	, 0
	counterpulsation ventricular assist system; subcutaneous	
0458T	electrode	Always Investigational
	Relocation of skin pocket with replacement of implanted	1,1
	aortic counterpulsation ventricular assist device, mechano-	
0459T	electrical skin interface and electrodes	Always Investigational
	Repositioning of previously implanted aortic	
	counterpulsation ventricular assist device; subcutaneous	
0460T	electrode	Always Investigational
	Repositioning of previously implanted aortic	7 ,
	counterpulsation ventricular assist device; aortic	
0461T	counterpulsation device	Always Investigational
0.02.		, arraya arrasanga aranan
	Programming device evaluation (in person) with iterative	
	adjustment of the implantable mechano-electrical skin	
	interface and/or external driver to test the function of the	
	device and select optimal permanent programmed values	
	with analysis, including review and report, implantable	
0462T	aortic counterpulsation ventricular assist system, per day	Always Investigational
0.02.	particle occurred particular version can a construction, per use,	, mayo ma oo nga no ma
	Interrogation device evaluation (in person) with analysis,	
	review and report, includes connection, recording and	
	disconnection per patient encounter, implantable aortic	
0463T	counterpulsation ventricular assist system, per day	Always Investigational
	Visual evoked potential, testing for glaucoma, with	7 ,
0464T	interpretation and report	Always Investigational
	Suprachoroidal injection of a pharmacologic agent (does	7,5 11,551.000.00.00
0465T	not include supply of medication)	Always Investigational
	and a suppose of the	272 200.000.00
	Insertion of chest wall respiratory sensor electrode or	
	electrode array, including connection to pulse generator	
	(List separately in addition to code for primary procedure)	
	This code is designated as an Add-on code by the AMA. List	
0466T	separately in addition to the primary procedure.	Always Investigational
U-1001	proparately in addition to the primary procedure.	/ HVVays HIVEStigational

Code	Code Description	Clinical Edit
Code	Revision or replacement of chest wall respiratory sensor	Cillical Euit
	electrode or electrode array, including connection to	
0467T	existing pulse generator	Always Investigational
04071	Removal of chest wall respiratory sensor electrode or	Always ilivestigational
0468T	· · ·	Always Investigational
04681	electrode array	Always Investigational
OACOT	Retinal polarization scan, ocular screening with on-site	Alvana lavastisatisas
0469T	automated results, bilateral	Always Investigational
	Optical coherence tomography (OCT) for microstructural	
	and morphological imaging of skin, image acquisition,	
0470T		Always Investigational
04701	interpretation, and report; first lesion	Always Investigational
	Optical coherence tomography (OCT) for microstructural	
	and morphological imaging of skin, image acquisition,	
0471T	interpretation, and report; first lesion	Always Investigational
04711	Device evaluation, interrogation, and initial programming	/ iways investigational
	of intraocular retinal electrode array (eg, retinal	
	prosthesis), in person, with iterative adjustment of the	
	implantable device to test functionality, select optimal	
	permanent programmed values with analysis, including	
04727	visual training, with review and report by a qualified health	Alvana lavastisatisas
0472T	care professional	Always Investigational
	Device evaluation and interrogation of intraocular retinal	
	electrode array (eg, retinal prosthesis), in person, including	
	reprogramming and visual training, when performed, with	
0473T	review and report by a qualified health care professional	Always Investigational
04/31	Insertion of anterior segment aqueous drainage device,	Always ilivestigational
	with creation of intraocular reservoir, internal approach,	
0474T	into the supraciliary space	Always Investigational
04741	into the supracinary space	Always investigational
	Recording of fetal magnetic cardiac signal using at least 3	
	channels; patient recording and storage, data scanning	
	with signal extraction, technical analysis and result, as well	
	as supervision, review, and interpretation of report by a	
0475T	physician or other qualified health care professional	Always Investigational
04751	Recording of fetal magnetic cardiac signal using at least 3	Always ilivestigational
04767	channels; patient recording, data scanning, with raw	Always Investigational
0476T	electronic signal transfer of data and storage	Always Investigational
	Recording of fetal magnetic cardiac signal using at least 3	
0477T	channels; signal extraction, technical analysis, and result	Always Investigational
04//1	Recording of fetal magnetic cardiac signal using at least 3	Aiways ilivestigational
	channels; review, interpretation, report by physician or	
04707		Always Investigational
0478T	other qualified health care professional	Always Investigational

Code	Code Description	Clinical Edit
	Fractional ablative laser fenestration of burn and traumatic	
	scars for functional improvement; each additional 100	
	cm2, or each additional 1% of body surface area of infants	
0479T	and children	Always Investigational
	Fractional ablative laser fenestration of burn and traumatic	, 0
	scars for functional improvement; each additional 100	
	cm2, or each additional 1% of body surface area of infants	
0480T	and children, or part thereof	Always Investigational
	Injection(s), autologous white blood cell concentrate	
	(autologous protein solution), any site, including image	
0481T	guidance, harvesting and preparation, when performed	Always Investigational
	Transcatheter mitral valve implantation/replacement	
	(TMVI) with prosthetic valve; percutaneous approach,	
0483T	including transseptal puncture, when performed	Always Investigational
	Transcatheter mitral valve implantation/replacement	
	(TMVI) with prosthetic valve; transthoracic exposure (eg,	
0484T	thoracotomy, transapical)	Always Investigational
	Optical coherence tomography (OCT) of middle ear, with	
0485T	interpretation and report; unilateral	Always Investigational
	Optical coherence tomography (OCT) of middle ear, with	-
0486T	interpretation and report; bilateral	Always Investigational
0487T	Biomechanical mapping, transvaginal, with report	Always Investigational
	Autologous adipose-derived regenerative cell therapy for	
	scleroderma in the hands; adipose tissue harvesting,	
	isolation and preparation of harvested cells including	
	incubation with cell dissociation enzymes, removal of non-	
	viable cells and debris, determination of concentration and	
0489T	dilution of regenerative cells	Always Investigational
	Autologous adipose-derived regenerative cell therapy for	
	scleroderma in the hands; multiple injections in one or	
0490T	both hands	Always Investigational
	Ablative laser treatment, non-contact, full field and	
	fractional ablation, open wound, per day, total treatment	
0491T	surface area; first 20 sq cm or less	Always Investigational
	Ablative laser treatment, non-contact, full field and	
	fractional ablation, open wound, per day, total treatment	
	surface area; each additional 20 sq cm, or part thereof (List	
0492T	separately in addition to code for primary procedure)	Always Investigational
	Near-infrared spectroscopy studies of lower extremity	
0493T	wounds (eg, for oxyhemoglobin measurement)	Always Investigational

marginal
1 0
vivo organ
on, separation
eservation of the
rformed Always Investigational
ended) cadaver
y physician or
ding physiological
ary artery flow,
essure, pulmonary
teau airway
usate gas analysis),
performed; first
Always Investigational
ended) cadaver
y physician or
ding physiological
ary artery flow,
essure, pulmonary
teau airway
usate gas analysis),
performed; each
on to code for
Always Investigational
rement by
ilateral or bilateral,
Always Investigational
eous reflective and
ands, unilateral or
asurement
ral density, tibia Always Investigational
tation and report,
Always Investigational
Always Investigational
nplant Always Investigational
entary wound
Always Investigational
entary wound
Always Investigational
using patient
• .
ode for primary

Code	Code Description	Clinical Edit
Couc	Removal of only pulse generator component(s) (battery	Cillical Eart
	and/or transmitter) of wireless cardiac stimulator for left	
0518T	ventricular pacing	Always Investigational
03101	Interrogation device evaluation (in person) with analysis,	Always investigational
0521T	review and report	Always Investigational
03211	Programming device evaluation (in person) with iterative	/ invays investigational
	adjustment of the implantable device to test the function	
0522T	of the device	Always Investigational
	Intraprocedural coronary fractional flow reserve (FFR) with	, mayo mreedigadieman
0523T	3D functional mapping	Always Investigational
	Endovenous catheter directed chemical ablation with	, mayo mreedigadieman
	balloon isolation of incompetent extremity vein, open or	
0524T	percutaneous	Always Investigational
	Insertion or replacement of intracardiac ischemia	
0525T	monitoring system	Always Investigational
	Insertion or replacement of intracardiac ischemia	1,1
0526T	monitoring system	Always Investigational
	Insertion or replacement of intracardiac ischemia	, ,
0527T	monitoring system	Always Investigational
	Programming device evaluation (in person) of intracardiac	, ,
0528T	ischemia monitoring system	Always Investigational
	Interrogation device evaluation (in person) of intracardiac	, ,
	ischemia monitoring system with analysis, review, and	
0529T	report	Always Investigational
0530T	Removal of intracardiac ischemia monitoring system	Always Investigational
0531T	Removal of intracardiac ischemia monitoring system	Always Investigational
0532T	Removal of intracardiac ischemia monitoring system	Always Investigational
	Continuous recording of movement disorder symptoms,	
	including bradykinesia, dyskinesia, and tremor for 6 days	
0533T -	up to 10 days;	Always Investigational
0534T	Continuous recording of movement disorder symptoms	Always Investigational
0535T	Continuous recording of movement disorder symptoms,	Always Investigational
0536T	Continuous recording of movement disorder symptoms	Always Investigational
	Myocardial imaging by magnetocardiography (MCG) for	
	detection of cardiac ischemia, by signal acquisition using	
0541T	minimum 36 channel grid,	Always Investigational
	Myocardial imaging by magnetocardiography (MCG) for	
	detection of cardiac ischemia, by signal acquisition using	
0542T	minimum 36 channel grid,	Always Investigational
	Evacuation of meibomian glands, using heat delivered	
	through wearable, open-eye eyelid treatment devices and	
0563T	manual gland expression, bilateral	Always Investigational

Code	Code Description	Clinical Edit
	Oncology, chemotherapeutic drug cytotoxicity assay of	
	cancer stem cells (CSCs), from cultured CSCs and primary	
	tumor cells, categorical drug response reported based on	
	percent of cytotoxicity observed, a minimum of 14 drugs or	
0564T	drug combinations	Always Investigational
	Autologous cellular implant derived from adipose tissue for	
	the treatment of osteoarthritis of the knees; tissue	
0565T	harvesting and cellular implant creation	Always Investigational
	Autologous cellular implant derived from adipose tissue for	
	the treatment of osteoarthritis of the knees; injection of	
	cellular implant into knee joint including ultrasound	
0566T	guidance, unilateral	Always Investigational
	Permanent fallopian tube occlusion with degradable	
	biopolymer implant, transcervical approach, including	
0567T	transvaginal ultrasound	Always Investigational
	Introduction of mixture of saline and air for	
	sonosalpingography to confirm occlusion of fallopian	
	tubes, transcervical approach, including transvaginal	
0568T	ultrasound and pelvic ultrasound	Always Investigational
	Transcatheter tricuspid valve repair, percutaneous	
0569T	approach; initial prosthesis	Always Investigational
	Transcatheter tricuspid valve repair, percutaneous	
	approach; each additional prosthesis during same session	
0570T	(List separately in addition to code for primary procedure)	Always Investigational
	Insertion or replacement of implantable cardioverter-	
	defibrillator system with substernal electrode(s), including	
	all imaging guidance and electrophysiological evaluation	
	(includes defibrillation threshold evaluation, induction of	
	arrhythmia, evaluation of sensing for arrhythmia	
	termination, and programming or reprogramming of	
0571T	sensing or therapeutic parameters), when performed	Always Investigational
0572T	Insertion of substernal implantable defibrillator electrode	Always Investigational
0573T	Removal of substernal implantable defibrillator electrode	Always Investigational
	Repositioning of previously implanted substernal	
0574T	implantable defibrillator-pacing electrode	Always Investigational

Code	Code Description	Clinical Edit
	Programming device evaluation (in person) of implantable	
	cardioverter-defibrillator system with substernal electrode,	
	with iterative adjustment of the implantable device to test	
	the function of the device and select optimal permanent	
	programmed values with analysis, review and report by a	
0575T	physician or other qualified health care professional	Always Investigational
	Interrogation device evaluation (in person) of implantable	
	cardioverter-defibrillator system with substernal electrode,	
	with analysis, review and report by a physician or other	
	qualified health care professional, includes connection,	
0576T	recording and disconnection per patient encounter	Always Investigational
	Electrophysiological evaluation of implantable cardioverter-	.,
	defibrillator system with substernal electrode (includes	
	defibrillation threshold evaluation, induction of	
	arrhythmia, evaluation of sensing for arrhythmia	
	termination, and programming or reprogramming of	
0577T	sensing or therapeutic parameters)	Always Investigational
	Interrogation device evaluation(s) (remote), up to 90 days,	
	substernal lead implantable cardioverter-defibrillator	
	system with interim analysis, review(s) and report(s) by a	
0578T	physician or other qualified health care professional	Always Investigational
	Interrogation device evaluation(s) (remote), up to 90 days,	, ,
	substernal lead implantable cardioverter-defibrillator	
	system, remote data acquisition(s), receipt of	
	transmissions and technician review, technical support and	
0579T	distribution of results	Always Investigational
	Removal of substernal implantable defibrillator pulse	
0580T	generator only	Always Investigational
	Ablation, malignant breast tumor(s), percutaneous,	
	cryotherapy, including imaging guidance when performed,	
0581T	unilateral	Always Investigational
	Transurethral ablation of malignant prostate tissue by high-	
	energy water vapor thermotherapy, including	
0582T	intraoperative imaging and needle guidance	Always Investigational
	Tympanostomy (requiring insertion of ventilating tube),	
	using an automated tube delivery system, iontophoresis	
0583T	local anesthesia	Always Investigational
	Islet cell transplant, includes portal vein catheterization	
	and infusion, including all imaging, including guidance, and	
	radiological supervision and interpretation, when	
0584T	performed; percutaneous	Always Investigational

Code	Code Description	Clinical Edit
	Islet cell transplant, includes portal vein catheterization	
	and infusion, including all imaging, including guidance, and	
	radiological supervision and interpretation, when	
0585T	performed; laparoscopic	Always Investigational
	Islet cell transplant, includes portal vein catheterization	
	and infusion, including all imaging, including guidance, and	
	radiological supervision and interpretation, when	
0586T	performed; open	Always Investigational
	Percutaneous implantation or replacement of integrated	
	single device neurostimulation system including electrode	
	array and receiver or pulse generator, including analysis,	
05077	programming, and imaging guidance when performed,	
0587T	posterior tibial nerve	Always Investigational
	Revision or removal of integrated single device	
	neurostimulation system including electrode array and	
	receiver or pulse generator, including analysis,	
05007	programming, and imaging guidance when performed,	
0588T	posterior tibial nerve	Always Investigational
	Floatus nie speljusie with sincele mas are are neige of invalented	
	Electronic analysis with simple programming of implanted	
	integrated neurostimulation system (eg, electrode array	
	and receiver), including contact group(s), amplitude, pulse	
	width, frequency (Hz), on/off cycling, burst, dose lockout,	
	patient-selectable parameters, responsive	
	neurostimulation, detection algorithms, closed-loop	
	parameters, and passive parameters, when performed by	
OFFICE	physician or other qualified health care professional,	Always Investigational
0589T	posterior tibial nerve, 1-3 parameters	Always Investigational
	Electronic analysis with complex programming of	
	implanted integrated neurostimulation system (eg,	
	electrode array and receiver), including contact group(s),	
	amplitude, pulse width, frequency (Hz), on/off cycling,	
	burst, dose lockout, patient-selectable parameters,	
	responsive neurostimulation, detection algorithms, closed-	
	•	
	HOOD DATAMETERS, AND DASSIVE DATAMETERS, When	
	loop parameters, and passive parameters, when performed by physician or other qualified health care	
0590T	performed by physician or other qualified health care professional, posterior tibial nerve, 4 or more parameters	Always Investigational

Code	Code Description	Clinical Edit
	Osteotomy, humerus, with insertion of an externally	
	controlled intramedullary lengthening device, including	
	intraoperative imaging, initial and subsequent alignment	
	assessments, computations of adjustment schedules, and	
	management of the intramedullary lengthening device	
0594T		Always Investigational
	Temporary female intraurethral valve-pump (ie, voiding	
	prosthesis); initial insertion, including urethral	
	measurement	
0596T		Always Investigational
	Temporary female intraurethral valve-pump (ie, voiding	
	prosthesis); initial insertion, including urethral	
	measurement replacement	
0597T		Always Investigational
	Noncontact real-time fluorescence wound imaging, for	
	bacterial presence, location, and load, per session; first	
	anatomic site (eg, lower extremity)	
0598T		Always Investigational
	Noncontact real-time fluorescence wound imaging, for	
	bacterial presence, location, and load, per session; each	
	additional anatomic site (eg, upper extremity) (List	
	separately in addition to code for primary procedure)	
0599T		Always Investigational
	Ablation, irreversible electroporation; 1 or more tumors	
	per organ, including imaging guidance, when performed,	
	percutaneous	
0600T		Always Investigational
	Ablation, irreversible electroporation; 1 or more tumors,	
	including fluoroscopic and ultrasound	
	guidance, when performed, open	
0601T		Always Investigational
	Glomerular filtration rate (GFR) measurement(s),	
	transdermal, including sensor placement and	
	administration of a single dose of fluorescent pyrazine	
	agent	
0602T		Always Investigational
	Glomerular filtration rate (GFR) monitoring, transdermal,	
	including sensor placement and administration of more	
0600=	than one dose of fluorescent pyrazine agent, each 24 hours	
0603T		Always Investigational

Code	Code Description	Clinical Edit
	Optical coherence tomography (OCT) of retina, remote, patientinitiated image capture and transmission to a remote surveillance center unilateral or bilateral; initial device provision, set-up and patient education on use of equipment	
0604T	equipment	Always Investigational
	Optical coherence tomography (OCT) of retina, remote, patientinitiated image capture and transmission to a remote surveillance center unilateral or bilateral; remote surveillance center technical support, data analyses and reports, with a minimum of 8 daily recordings, each 30 days	
0605T	Outlied as house to be seen about 200T) of action and a	Always Investigational
	Optical coherence tomography (OCT) of retina, remote, patientinitiated image capture and transmission to a remote surveillance center unilateral or bilateral; review, interpretation and report by the prescribing physician or other qualified health care professional of remote surveillance center data analyses, each 30 days	
0606T		Always Investigational
	Remote monitoring of an external continuous pulmonary fluid monitoring system, including measurement of radiofrequencyderived pulmonary fluid levels, heart rate, respiration rate, activity, posture, and cardiovascular rhythm (eg, ECG data), transmitted to a remote 24-hour attended surveillance center; set-up and patient education on use of equipment	
0607T		Always Investigational
	Remote monitoring of an external continuous pulmonary fluid monitoring system, including measurement of radiofrequencyderived pulmonary fluid levels, heart rate, respiration rate, activity, posture, and cardiovascular rhythm (eg, ECG data), transmitted to a remote 24-hour attended surveillance center; analysis of data received and transmission of reports to the physician or other qualified health care professional	
0608T		Always Investigationa

Code	Code Description	Clinical Edit
Code	"Magnetic resonance spectroscopy, determination and	Cillical Euit
	localization of discogenic pain (cervical, thoracic, or	
	lumbar); acquisition of single voxel data, per disc, on	
	biomarkers (ie, lactic acid, carbohydrate, alanine, laal,	
	propionic acid, proteoglycan, and collagen) in at least 3	
	discs	
0609T		Always Investigational
	Magnetic resonance spectroscopy, determination and	
	localization of discogenic pain (cervical, thoracic, or	
	lumbar); transmission of biomarker data for software	
	analysis	
0610T	,	Always Investigational
	Magnetic resonance spectroscopy, determination and	
	localization of discogenic pain (cervical, thoracic, or	
	lumbar); postprocessing for algorithmic analysis of	
	biomarker data for determination of relative chemical	
	differences between discs	
0611T	differences between discs	Always Investigational
06111	Manuatia yang yang ayan atau ayan data yani ati ayan d	Always ilivestigational
	Magnetic resonance spectroscopy, determination and	
	localization of discogenic pain (cervical, thoracic, or	
	lumbar); interpretation and report	
0612T		Always Investigational
	Percutaneous transcatheter implantation of interatrial	
	septal shunt device, including right and left heart	
	catheterization, intracardiac echocardiography, and	
	imaging guidance by the proceduralist, when performed	
0613T		Always Investigational
	Removal and replacement of a substernal implantable	
	defibrillator pulse generator	
0614T		Always Investigational
	Eye-movement analysis without spatial calibration, with	
	interpretation and report	
0615T		Always Investigational
	Insertion of iris prosthesis, including suture fixation and	
	repair or removal of iris, when performed; without	
	removal of crystalline lens or intraocular lens, without	
	insertion of intraocular lens	
0616T	insertion of includedial lens	Always Investigational
		a jo restibational
	Insertion of iris prosthesis, including suture fixation and	
	•	
	repair or removal of iris, when performed; with removal of	
06477	crystalline lens and insertion of intraocular lens	Aborration
0617T		Always Investigational

Code	Code Description	Clinical Edit
	Insertion of iris prosthesis, including suture fixation and	
	repair or removal of iris, when performed; with secondary	
0640=	intraocular lens placement or intraocular lens exchange	
0618T		Always Investigational
	Cystourethroscopy with transurethral anterior prostate	
	commissurotomy and drug delivery, including transrectal	
	ultrasound and fluoroscopy, when performed	
0619T	unicussuma and massessep), when performed	Always Investigational
15781	Dermabrasion; Segmental, Face	Always Cosmetic
15782	Dermabrasion; Regional, Other Than Face	Always Cosmetic
15783	Dermabrasion; Superficial, Any Site	Always Cosmetic
15786	Abrasion; Single Lesion	Always Cosmetic
15787	Abrasion; Add'l 4 Lesions	Always Cosmetic
15788	Chemical Peel, Facial; Epidermal	Always Cosmetic
15789	Chemical Peel, Facial; Dermal	Always Cosmetic
15792	Chemical Peel, Nonfacial; Epidermal	Always Cosmetic
15793	Chemical Peel, Nonfacial; Dermal	Always Cosmetic
15820	Blepharoplasty, Lower Eyelid	Always Cosmetic
	Blepharoplasty, Lower Eyelid; W/Extensive Herniated Fat	
15821	Pad	Always Cosmetic
15824	Rhytidectomy; Forehead	Always Cosmetic
	Rhytidectomy; Neck W/Platysmal Tightening (Platysmal	
15825	Flap, P-Flap)	Always Cosmetic
15826	Rhytidectomy; Glabellar Frown Lines	Always Cosmetic
15828	Rhytidectomy; Cheek, Chin, & Neck	Always Cosmetic
	Rhytidectomy; Superficial Musculoaponeurotic System	
15829	(Smas) Flap	Always Cosmetic
	Excision, Excessive Skin and Subcutaneous Tissue (Includes	
15847	Lipectomy), Abdomen	Always Cosmetic
15876	Suction assisted lipectomy	Always Cosmetic
15877	Suction assisted lipectomy	Always Cosmetic
15878	suction assisted lipectomy	Always Cosmetic
17360	Chemical Exfoliation, Acne	Always Cosmetic
10105	Ablation, Cryosurgical, of Fibroadenoma, including	
19105	Ultrasound Guidance, Each Fibroadenoma	Always Investigational
19300	Gynecomastia surgery	Always Cosmetic
	Ablation therapy for reduction or eradication of 1 or more	
	bone tumors (eg. Metastasis) including adjacent soft tissue	
	when involved by tumor extension, percutaneous,	
20983	including imaging guidance when performed; cryoablation	Always Investigational
20303	Computer-Assisted Surgical Navigational Procedure for	/ Havays Hivestigational
20985	Musculoskeletal Procedures; Image-Less (List Sep)	Always Investigational
20303	imascaloskeletai i roccaares, illiage Less (List Sep)	, www.ys mivestigational

Code	Code Description	Clinical Edit
22505	Manipulation of spine requiring anesthesia, any region	Always Investigational
	Insertion of interlaminar/interspinous process	, ,
	stabilization/distraction device, without fusion, including	
	image guidance when performed, with open	
22867	decompression, lumbar; single level	Always Investigational
	Insertion of interlaminar/interspinous process	
	stabilization/distraction device, without fusion, including	
	image guidance when performed, with open	
	decompression, lumbar; second level (List separately in	
22868	addition to code for primary procedure)	Always Investigational
	Insertion of interlaminar/interspinous process	
	stabilization/distraction device, without open	
	decompression or fusion, including image guidance when	
22869	performed, lumbar; single level	Always Investigational
	Insertion of interlaminar/interspinous process	
	stabilization/distraction device, without open	
	decompression or fusion, including image guidance when	
	performed, lumbar; second level (List separately in	
22870	addition to code for primary procedure)	Always Investigational
	Extracorporeal shock wave, high energy, performed by a	
	physician, requiring anesthesia other than local, plantar	
28890	fascia	Always Investigational
	Rhinoplasty, Primary; Lateral & Alar Cartilages &/Or	
30400	Elevation, Nasal Tip	Always Cosmetic
	Rhinoplasty, Nasal Deform Sec To Cong Cleft Lip/Palat,	
30462	W/Columellar Lengthen; Tip/Septum/Osteotomies	Always Cosmetic
	Bronchoscopy; W Balloon Occlusn, Assessmt Of Air Leak,	
	Airway Sizing, And Insertion Of Bronchial Valve(s), Initial	
31647	Lobe	Always Investigational
	Bronchoscopy; With Removal Of Bronchial Valve(s), Initial	
31648	Lobe	Always Investigational
	Bronchoscopy; With Removal Of Bronchial Valve(s), Each	
31649	Additional Lobe	Always Investigational
	Bronchoscopy; W Balloon Occlusn, Assessmt Of Air Leak,	
	Airway Sizing, And Insertion Of Bronchial Valve(s), Each	
31651	Addl Lobe	Always Investigational
31660	Bronchoscopy; With Bronchial Thermoplasty, 1 Lobe	Always Investigational
24654	Bronchoscopy; With Bronchial Thermoplasty, 2 Or More	
31661	Lobes	Always Investigational
22200	Transcatheter implantation of wireless pulmonary artery	Abore the section is
33289	pressure sensor	Always Investigational
42200	Esophagoscopy, Rigid Or Flexible; With Optical	Almana
43206	Endomicroscopy	Always Investigational
42252	Upper Gastrointestinal Endoscopy; With Optical	Aluque leure etientine
43252	Endomicroscopy	Always Investigational

Code	Code Description	Clinical Edit
	Ugi Endoscopy; With Delivery Of Thermal Energy To The	
	Muscle Of Lower Esophageal Sphincter And/Or Gastric	
43257	Cardia	Always Investigational
		, ,
	Laparoscopy, surgical, esophageal sphincter augmentation	
	procedure, placement of sphincter augmentation device	
43284	(ie, magnetic band), including cruroplasty when performed	Always Investigational
	Laparoscopy, Surgical; Implantation or Replacement of	
43647	Gastric Neurostimulator Electrodes, Antrum	Always Investigational
	Laparoscopy, Surgical; Revision or Removal of Gastric	
43648	Neurostimulator Electrodes, Antrum	Always Investigational
	Implantation or Replacement of Gastric Neurostimulator	
43881	Electrodes, Antrum, Open	Always Investigational
	Revision or Removal of Gastric Neurostimulator Electrodes,	
43882	Antrum, Open	Always Investigational
46948		
	Ligation, hemorrhoidal vascular bundle(s), including	
	ultrasound guidance	Always Investigational
	Aspiration/Decompression, Percutaneous, Nucleus	
62287	Pulposus, Any Meth, Single/Multiple Levels, Lumbar	Always Investigational
	Injection procedure for chemonucleolysis, including	
	discography, intervertebral disc, single or multiple levels,	
62292	lumbar	Always Investigational
	Injection(s), anesthetic agent(s) and /or steroid; nerves	
	innervating the sacroiliac joint, with image guidance (i.e	
64451	fluoroscopy or computed tomography)	Always investigational
	Radiofrequency ablation, nerves innervating the sacroiliac	
64625	joint, with image guidance	Always Investigational
64912	Nerve repair; with nerve allograft, each nerve, first strand	Always Investigational
	Nerve repair; with nerve allograft, each nerve, each	
64913	additional strand	Always Investigational
75571	CT heart cardiac structure and morphology	Always Investigational
80184	Assay Of Phenobarbital	Always Investigational
80299	Quantitation, Drug, Not Elsewhere Specified	Always Investigational
	ASXL1 (additional sex combs like 1, transcriptional	
	regulator) (eg, myelodysplastic syndrome,	
	myeloproliferative neoplasms, chronic myelomonocytic	
81175	leukemia), gene analysis; full gene sequence	Always Investigational
	ASXL1 (additional sex combs like 1, transcriptional	
	regulator) (eg, myelodysplastic syndrome,	
	myeloproliferative neoplasms, chronic myelomonocytic	
	leukemia), gene analysis; targeted sequence analysis (eg,	
81176	exon 12)	Always Investigational

Code	Code Description	Clinical Edit
	Cyp2C19 (Cytochrome P450, Family 2, Subfamily C,	
81225	Polypeptide 19), Gene Analysis, Common Variants	Always Investigational
	Cyp2D6 (Cytochrome P450, Family 2, Subfamily D,	,
81226	Polypeptide 6), Gene Analysis, Common Variants	Always Investigational
	Cyp2C9 (Cytochrome P450, Family 2, Subfamily C,	, ,
	Polypeptide 9), Gene Analysis, Common Variants (Eg, *2,	
81227	*3, *5, *6)	Always Investigational
	CYP3A4 (cytochrome P450 famiy 3 subfamiy A member 4	,
	(eg, drug metabolism), gene analysis, common variant(s)	
81230	(eg, *2, *22)	Always Investigational
	CYP3A5 (cytochrome P450 family 3 subfamily A member 5)	
	(eg, drug metabolism), gene analysis, common variants (eg,	
81231	*2, *3, *4, *5, *6, *7)	Always Investigational
	DPYD (dihydropyrimidine dehydrogenase) (eg, 5-	
	fluorouracil/5-FU and capecitabine drug metabolism), gene	
81232	analysis, common variant(s) (eg, *2A, *4, *5, *6)	Always Investigational
	IFNL3 (interferon, lambda 3) (eg, drug response), gene	
81283	analysis, rs12979860 variant	Always Investigational
	Mthfr (5,10-Methylenetetrahydrofolate Reductase) (Eg,	
	Hereditary Hypercoagulability) Gene Analysis, Common	
81291	Variants	Always Investigational
	NUDT15 (nudix hydrolase 15)(eg, drug metabolism) gene	
81306	analysis, common variant(s)	Always Investigational
	PCA3/KLK3 (prostate cancer antigen 3 [non-protein	
	coding]/kallikrein-related peptidase 3 [prostate specific	
81313	antigen]) ratio (eg, prostate cancer)	Always Investigational
	SLCO1B1 (solute carrier organic anion transporter family,	
	member 1B1) (eg, adverse drug reaction), gene analysis,	
81328	common variant(s) (eg, *5)	Always Investigational
	RUNX1 (runt related transcription factor 1) (eg, acute	
	myeloid leukemia, familial platelet disorder with	
	associated myeloid malignancy), gene analysis, targeted	
81334	sequence analysis (eg, exons 3-8)	Always Investigational
	TYMS (thymidylate synthetase) (eg, 5-fluorouracil/5-FU	
	drug metabolism), gene analysis, common variant(s) (eg,	
81346	tandem repeat variant)	Always investigational
	Ugt1A1 (Udp Glucuronosyltransferase 1 Family,	
	Polypeptide A1) (Eg, Irinotecan Metabolism), Gene	
81350	Analysis, Common Variants	Always Investigational
	Vkorc1 (Vitamin K Epoxide Reductase Complex, Subunit 1)	
	(Eg, Warfarin Metabolism), Gene Analysis, Common	
81355	Variants	Always Investigational
	Exome (eg, unexplained constitutional or heritable	
81415	disorder or syndrome); sequence analysis	Always Investigational

Code	Code Description	Clinical Edit
Couc	sequence analysis, each comparator exome (eg, parents,	Cililical Eart
	siblings) (List separately in addition to code for primary	
81416	procedure)	Always Investigational
01410	procedure)	/ iways investigational
	re-evaluation of previously obtained exome sequence (eg,	
81417	updated knowledge or unrelated condition/syndrome)	Always Investigational
01117	Genome (eg, unexplained constitutional or heritable	7 iii ays iii estigational
81425	disorder or syndrome); sequence analysis	Always Investigational
	Genome (eg, unexplained constitutional or heritable	
	disorder or syndrome); sequence analysis, each	
	comparator genome (eg, parents, siblings) (List separately	
81426	in addition to code for primary procedure)	Always Investigational
	Genome (eg, unexplained constitutional or heritable	171 211 611 1
	disorder or syndrome); re-evaluation of previously	
	obtained genome sequence (eg, updated knowledge or	
81427	unrelated condition/syndrome)	Always Investigational
	Nuclear encoded mitochondrial genes (eg, neurologic or	, ,
	myopathic phenotypes), genomic sequence panel, must	
	include analysis of at least 100 genes, including BCS1L,	
	C10orf2, COQ2, COX10, DGUOK, MPV17, OPA1, PDSS2,	
	POLG, POLG2, RRM2B, SCO1, SCO2, SLC25A4, SUCLA2,	
81440	SUCLG1, TAZ, TK2, and TYMP	Always Investigational
	Targeted genomic sequence analysis panel, solid organ or	
	hematolymphoid neoplasm, DNA and RNA analysis when	
	performed, 51 or greater genes (eg, ALK, BRAF, CDKN2A,	
	CEBPA, DNMT3A, EGFR, ERBB2, EZH2, FLT3, IDH1, IDH2,	
	JAK2, KIT, KRAS, MLL, NPM1, NRAS, MET, NOTCH1,	
	PDGFRA, PDGFRB, PGR, PIK3CA, PTEN, RET), interrogation	
	for sequence variants and copy number variants or	
81455	rearrangements, if performed	Always Investigational
	Whole mitochondrial genome (eg, Leigh syndrome,	
	mitochondrial encephalomyopathy, lactic acidosis, and	
	stroke-like episodes [MELAS], myoclonic epilepsy with	
	ragged-red fibers [MERFF], neuropathy, ataxia, and retinitis	
	pigmentosa [NARP], Leber hereditary optic neuropathy	
	[LHON]), genomic sequence, must include sequence	
	analysis of entire mitochondrial genome with	
81460	heteroplasmy detection	Always Investigational
	Whole mitochondrial genome large deletion analysis panel	
	(eg, Kearns-Sayre syndrome, chronic progressive external	
	ophthalmoplegia), including heteroplasmy detection, if	
81465	performed	Always Investigational

Code	Code Description	Clinical Edit
Code	X-linked intellectual disability (XLID) (eg, syndromic and	Cillical Eult
	non-syndromic XLID); genomic sequence analysis panel,	
	must include sequencing of at least 60 genes, including	
	ARX, ATRX, CDKL5, FGD1, FMR1, HUWE1, IL1RAPL, KDM5C,	
81470	L1CAM, MECP2, MED12, MID1, OCRL, RPS6KA3, and SLC16A2	Always Investigational
81470	duplication/deletion gene analysis, must include analysis of	Always Investigational
	, , , ,	
	at least 60 genes, including ARX, ATRX, CDKL5, FGD1,	
04.474	FMR1, HUWE1, IL1RAPL, KDM5C, L1CAM, MECP2, MED12,	A l
81471	MID1, OCRL, RPS6KA3, and SLC16A2	Always Investigational
	Autoimmuna (rhoumatoid arthritis) analysis of 12	
	Autoimmune (rheumatoid arthritis), analysis of 12	
01.400	biomarkers using immunoassays, utilizing serum,	Alversa lavantinatinan
81490	prognostic algorithm reported as a disease activity score	Always Investigational
	Coronary artery disease, mRNA, gene expression profiling	
	, , ,	
91402	by real-time RT-PCR of 23 genes, utilizing whole peripheral	Always Investigational
81493	blood, algorithm reported as a risk score	Always Investigational
	Oncology (Ovarian), Biochemical Assays Of Two Proteins,	
01500	Serum, W Menopausal Status, Algorithm Reported As A	A l
81500	Risk Score	Always Investigational
	Oncology (Ovarian), Biochemical Assays Of Five Proteins,	
81503		Always Investigational
81504	Utilizing Serum, Algorithm Reported As A Risk Score Oncology Tissue of Origin	Always Investigational Always Investigational
81304	Officiology Tissue of Offigin	Always investigational
	Oncology (colon), mRNA, gene expression profiling by real-	
	time RT-PCR of 12 genes (7 content and 5 housekeeping),	
	utilizing formalin-fixed paraffin-embedded tissue,	
81525	algorithm reported as a recurrence score	Always Investigational
	Oncology (Prostate), promoter methylation profiling by	
	real-time PCR of 3 genes (GSTP1, APC, RASSF1), utilizing	
	formalin-fixed paraffin-embedded tissue, algorithm	
	reported as a likelihood of prostate cancer detection on	
81551	repeat biopsy	Always Investigational
82163	Angiotensin II	Always Investigational
82726	Very Long Chain Fatty Acids	Always Investigational
82777	Galectin-3	Always Investigational
83698	Lipoprotein-Associated Phospholipase A2, (Lp-Pla2)	Always Investigational
	Lipoprotein, blood; electrophoretic separation and	
83700	quantitation	Always Investigational
	Lipoprotein, blood; high resolution fractionation and	
83701	quantitation, w/wo lipoprotein subclasses	Always Investigational
	Lipoprotein, blood; quantitation of lipoprotein particle	
83704	numbers and lipoprotein particle subclasses	Always Investigational
33,04	manuscro and hypprotein particle subclasses	,ays investigational

Code	Code Description	Clinical Edit
- couc	Lipoprotein, Direct Measurement; Direct Measurement,	Cirrical Eart
83719	VIdl Cholesterol	Always Investigational
83992	Phencyclidine (Pcp)	Always Investigational
03332	Allergen specific IgG quantitative or semiquantitative, each	7 iivays iiivestigationai
86001	allergen	Always Investigational
00001	Cell enumeration using immunologic selection and	7 iivays iiivestigationai
	identification in fluid specimen (eg, circulating tumor cells	
86152	in blood);	Always Investigational
00132	Cell enumeration using immunologic selection and	7 iivays iiivestigationai
	identification in fluid specimen (eg, circulating tumor cells	
86153	in blood); interpretation and report	Always Investigational
86332	Immune Complex Assay	Always Investigational
00332	Blood typing, for paternity testing, per individual; ABO, Rh	7 Tivays Investigational
86910	and MN	Always Non-covered
00310	Blood typing, for paternity testing, per individual; each	7 iiways ivon covered
86911	additional antigen system	Always Non-covered
86999	Unlisted Transfusion Medicine Proc	Always Investigational
00333	Orthoptic &/Or Pleoptic Training, W/Continuing Medical	Always investigational
92065	Direction & Evaluation	Always Investigational
32003	Corneal hysteresis determination, by air impulse	Always investigational
	stimulation, unilateral or bilateral, with interpretation and	
92145	report	Always Investigational
92512	Nasal function studies (eg, rhinomanometry)	Always Investigational
32312	ivasar ranction stadies (eg, rimomanometry)	7 Tivays Investigational
	Arterial pressure waveform analysis for assessment of	
	central arterial pressures, includes obtaining waveform(s),	
	digitization and application of nonlinear mathematical	
	transformations to determine central arterial pressures	
	and augmentation index, with interpretation and report,	
93050	upper extremity artery, non-invasive	Always Investigational
33030	Bioimpedance spectroscopy (BIS), extracellular fluid	Always investigational
93702	analysis for lymphedema assessment(s)	Always Investigational
93740	Thermal imaging/ Thermography	Always Investigational
93740	Thermal imaging	Always Investigational
33,40	Quantitative carotid intima media thickness and carotid	A Maray S Intrestigational
93895	atheroma evaluation, bilateral	Always Investigational
33633	attletottia evaluation, bilateral	Always investigational
	Simultaneous, independent, quantitative measures of both	
	parasympathetic function and sympathetic function, based	
	on time-frequency analysis of heart rate variability	
	concurrent with time-frequency analysis of continuous	
	respiratory activity, with mean heart rate and blood	
05042	pressure measures, during rest, paced (deep) breathing,	Always Investigational
95943	Valsalva maneuvers, and head-up postural change	Always Investigational

Code	Code Description	Clinical Edit
	Electronic Analysis of Implanted Gastric Neurostimulator	
	Pulse Generator/Transmitter; Intraoperative, with	
95980	Programming	Always Investigational
	Electronic Analysis of Implanted Gastric Neurostimulator	, ,
	Pulse Generator/Transmitter; Subsequent, Without	
95981	Reprogramming	Always Investigational
	Electronic Analysis of Implanted Gastric Neurostimulator	
	Pulse Generator/Transmitter; Subsequent, with	
95982	Reprogramming	Always Investigational
	Reflectance confocal microscopy (RCM) for cellular and sub-	
	cellular imaging of skin; image acquisition and	
96931	interpretation and report, first lesion	Always Investigational
	, ,	, 0
	Reflectance confocal microscopy (RCM) for cellular and sub-	
96932	cellular imaging of skin; image acquisition only, first lesion	Always Investigational
	Reflectance confocal microscopy (RCM) for cellular and sub-	, .
	cellular imaging of skin; interpretation and report only, first	
96933	lesion	Always Investigational
	Reflectance confocal microscopy (RCM) for cellular and sub-	, ,
	cellular imaging of skin; image acquisition and	
	interpretation and report, each additional lesion (List	
96934	separately in addition to code for primary procedure)	Always Investigational
	Reflectance confocal microscopy (RCM) for cellular and sub-	, -
	cellular imaging of skin; image acquisition only, each	
	additional lesion (List separately in addition to code for	
96935	primary procedure)	Always Investigational
	Reflectance confocal microscopy (RCM) for cellular and sub-	
	cellular imaging of skin; interpretation and report only,	
	each additional lesion (List separately in addition to code	
96936	for primary procedure)	Always Investigational
A4575	Topical Ox Deliver sys, nos	Always Investigational
A9285	Inversion/eversion correction device	Always Investigational
C1821	Interspinous process distraction device (implantable)	Always Investigational
	No Implantable /insertable device used with device-	
C1890	intensive procedure	Always Investigational
	Computer-aided detection, including computer algorithm	
	analysis of breast mri image data for lesion	
C8937	detection/characterization	Always Investigational
	Microporous collagen implantable tube (NeuraGen Nerve	-
C9352	Guide), per cm length	Always Investigational
	Microporous collagen implantable slit tube (NeuraWrap	-
C9353	Nerve Protector), per cm length	Always Investigational
	Acellular pericardial tissue matrix of nonhuman origin	
	(Veritas), per sq cm	Always Investigational
C9354	(Veritas), per sq em	/ live ay 5 in ive stigation at

Code	Code Description	Clinical Edit
	Tendon, porous matrix of cross-linked collagen and	
	glycosaminoglycan matrix (TenoGlide Tendon Protector	
C9356	Sheet), per sq cm	Always Investigational
C9358	SurgiMend, 0.5cm2	Always Investigational
	Dermal substitute, native, non-denatured collagen,	, ,
	neonatal bovine origin (SurgiMend Collagen Matrix), per	
C9360	0.5 square ce	Always Investigational
	Collagen matrix nerve wrap (NeuroMend Collagen Nerve	, ,
C9361	Wrap), per 0.5 centimeter length	Always Investigational
C9364	Porcine implant, Permacol, per square centimeter	Always Investigational
	Nasal endoscopy, surgical; balloon dilation of eustachian	, ,
C9745	tube	Always Investigational
	Ablation of prostate, transrectal, high intensity focused	, ,
C9747	ultrasound (hifu), including imaging guidance	Always Investigational
	Bronchoscopy, rigid or flexible, transbronchial ablation of	,
C9751	lesion(s) by microwave energy	Always Investigational
	Destruction of intraosseous basivertebral nerve, first two	
	vertebral bodies, including imaging guidance (e.g.,	
C9752	fluoroscopy), lumbar/sacrum	Always Investigational
	Destruction of intraosseous basivertebral nerve, each	
	additional vertebral body, including imaging guidance (e.g.,	
	fluoroscopy), lumbar/sacrum (list separately in addition to	
C9753	code for primary procedure)	Always Investigational
	Blinded procedure for nyha class iii/iv heart failure;	
	transcatheter implantation of interatrial shunt or placebo	
	control, including right heart catheterization, trans-	
	esophageal echocardiography (tee)/intracardiac	
	echocardiography (ice), and all imaging with or without	
	guidance (e.g., ultrasound, fluoroscopy), performed in an	
C9758	approved investigational device exemption (ide) study	Always Investigational
	Topical Ox Deliver sys, nos, includes all supplies and	
E0446	accessories	Always Investigational
	Incontinence treatment system, pelvic floor stimulator,	
E0740	monitor, sensor, and/or trainer	Always Investigational
E0765	Nerve Stimulator For Tx N&V	Always Investigational
	Dynamic adjustable ankle extension/flexion device,	
E1815	includes soft interface material	Always Investigational
	Static progressive stretch ankle device, flexion and/or	
	extension, with or without range of motion adjustment,	
E1816	includes all components and accessories	Always Investigational
	Dynamic, adjustable toe extension/flexion device, includes	
E1830	soft tissue interface material	Always Investigational

Code	Code Description	Clinical Edit
Couc	Code Description	Cilifical Earc
	Dynamic adjustable shoulder flexion/abduction/rotation	
E1840	device, includes soft interface material	Always Investigational
		,
	Static progressive stretch shoulder device, with or without	
E1841	range of motion adjustment, includes all components	Always Investigational
	Collagen meniscus implant procedure for filling meniscal	
G0428	defects (eg, CMI, collagen scaffold, Menaflex)	Always Investigational
J0591	Injection, deoxycholic acid, 1 mg	Always Cosmetic
	Cranial electrotherapy stimulation (ces) system, includes all	
K1002	supplies and accessories, any type	Always Investigational
	Low frequency ultrasonic diathermy treatment device for	
K1004	home use, includes all components and accessories	Always Investigational
M0076	Prolotherapy	Always Investigational
P9020	Platelet Rich Plasma Unit	Always Investigational
Q2026	Injection, radiesse, 0.1 ml	Always Cosmetic
Q2027	Injection, sculptra, 0.1 ml	Always Cosmetic
Q4103	Oasis burn matrix, per sq cm	Always Investigational
Q4108	Integra matrix, per sq cm	Always Investigational
Q4110	PriMatrix, per sq cm	Always Investigational
Q4111	GammaGraft, per sq cm	Always Investigational
Q4112	Cymetra, injectable, 1 cc	Always Investigational
Q4113	GRAFTJACKET XPRESS, injectable, 1cc	Always Investigational
Q4114	Integra flowable wound matrix, injectable, 1 cc	Always Investigational
Q4115	AlloSkin, per sq cm	Always Investigational
Q4117	Hyalomatrix	Always Investigational
Q4118	Matristem micromatrix	Always Investigational
Q4121	Theraskin	Always Investigational
Q4123	Alloskin Rt, Per Square Centimeter	Always Investigational
Q4124	Oasis Ultra Tri-Layer Matrix, per square centimeter	Always Investigational
Q4125	Arthroflex, Per Square Centimeter	Always Investigational
Q4126	Memoderm, Per Square Centimeter	Always Investigational
Q4127	Talymed, Per Square Centimeter	Always Investigational
Q4134	hMatrix	Always Investigational
Q4135	Mediskin	Always Investigational
Q4136	EZderm	Always Investigational
Q4137	Amnioexcel or biodexcel, per sq cm	Always Investigational
Q4138	Biodfence dryflex, per sq cm	Always Investigational
Q4139	Amniomatrix or biodmatrix, injectable, 1 cc	Always Investigational
Q4140	Biodfence, per sq cm	Always Investigational
Q4141	Alloskin AC, per sq cm	Always Investigational
Q4142	XCM biologic tissue matrix, per sq cm	Always Investigational
Q4143	Repriza, per sq cm	Always Investigational
Q4146	Tensix, per sq cm	Always Investigational

Code	Code Description	Clinical Edit
	Architect, architect PX, or architect FX, extracellular matrix,	
Q4147	per sq cm	Always Investigational
Q4148	Neox 1k, per sq cm	Always Investigational
Q4149	Excellagen, 0.1 cc	Always Investigational
Q4150	Allowrap DS or dry, per sq cm	Always Investigational
Q4151	Amnioband or guardian, per sq cm	Always Investigational
Q4152	Dermapure, per sq cm	Always Investigational
Q4153	Dermavest, per sq cm	Always Investigational
Q4154	Biovance, per sq cm	Always Investigational
Q4155	Neoxflo or clarixflo 1 mg	Always Investigational
Q4156	Neox 100, per sq cm	Always Investigational
Q4157	Revitalon, per sq cm	Always Investigational
Q4158	Marigen, per sq cm	Always Investigational
Q4159	Affinity, per sq cm	Always Investigational
Q4160	Nushield, per square centimeter	Always Investigational
Q4161	Bio-connekt wound matrix, per square centimeter	Always Investigational
	Amniopro flow, bioskin flow, biorenew flow, woundex	,
Q4162	flow, amniogen-a, amniogen-c, 0.5 cc	Always Investigational
	Amniopro, bioskin, biorenew, woundex, amniogen-45,	
Q4163	amniogen-200, per square centimeter	Always Investigational
Q4164	Helicoll, per square centimeter	Always Investigational
Q4165	Keramatrix or kerasorb, per square centimeter	Always Investigational
	Cytal, per square centimeter (Acell - full thickness diabetic	
Q4166	ulcers, venous ulcers, etc)	Always Investigational
Q4167	Truskin, per square centimeter	Always Investigational
Q4168	Amnioband, 1 mg	Always Investigational
Q4169	Artacent wound, per square centimeter	Always Investigational
Q4170	Cygnus, per square centimeter	Always Investigational
Q4171	Interfyl, 1 mg	Always Investigational
Q4172	Puraply or puraply am, per square centimeter	Always Investigational
Q4173	Palingen or palingen xplus, per square centimeter	Always Investigational
Q4174	Palingen or promatrx, 0.36 mg per 0.25 cc	Always Investigational
Q4175	Miroderm, per square centimeter	Always Investigational
Q4176	NeoPatch	Always Investigational
Q4177	FlowerAmnioFlo	Always Investigational
Q4178	FlowerAmnioPatch	Always Investigational
Q4179	FlowerDerm	Always Investigational
Q4180	ReVita	Always Investigational
Q4181	Amnio Wound	Always Investigational
Q4182	Transcyte	Always Investigational
Q4183	Surgigraft, per square centimeter	Always Investigational
Q4184	Cellesta or cellesta duo, per square centimeter	Always Investigational
Q4185	Cellesta flowable amnion (25 mg per cc); per 0.5 cc	Always Investigational
Q4188	Amnioarmor, per square centimeter	Always Investigational
Q4189	Artacent ac, 1 mg	Always Investigational

Code	Code Description	Clinical Edit
Q4190	Artacent ac, per square centimeter	Always Investigational
Q4191	Restorigin, per square centimeter	Always Investigational
Q4192	Restorigin, 1 cc	Always Investigational
Q4193	Coll-e-derm, per square centimeter	Always Investigational
Q4194	Novachor, per square centimeter	Always Investigational
Q4195	Puraply, per square centimeter	Always Investigational
Q4196	Puraply am, per square centimeter	Always Investigational
Q4197	Puraply xt, per square centimeter	Always Investigational
Q4198	Genesis amniotic membrane, per square centimeter	Always Investigational
Q4200	Skin te, per square centimeter	Always Investigational
Q4201	Matrion, per square centimeter	Always Investigational
Q4202	Keroxx (2.5g/cc), 1cc	Always Investigational
Q4203	Derma-gide, per square centimeter	Always Investigational
Q4204	Xwrap, per square centimeter	Always Investigational
	Membrane graft or membrane wrap, per square	, ,
Q4205	centimeter	Always Investigational
Q4206	Fluid flow or fluid GF, 1 cc	Always Investigational
Q4208	Novafix, per square centimeter	Always Investigational
Q4209	Surgraft, per square centimeter	Always Investigational
Q4210	Axolotl graft or axolotl dualgraft, per square centimeter	Always Investigational
		, ,
Q4211	Amnion bio or Axobiomembrane, per square centimeter	Always Investigational
Q4212	Allogen, per cc	Always Investigational
Q4213	Ascent, 0.5 mg	Always Investigational
Q4214	Cellesta cord, per square centimeter	Always Investigational
Q4215	Axolotl ambient or axolotl cryo, 0.1 mg	Always Investigational
Q4216	Artacent cord, per square centimeter	Always Investigational
Q4217	Woundfix, BioWound, Woundfix Plus, BioWound Plus, Woundfix Xplus or BioWound Xplus, per square centimeter	Always Investigational
Q4218	Surgicord, per square centimeter	Always Investigational
Q4219	Surgigraft-dual, per square centimeter	Always Investigational
Q4220	BellaCell HD or Surederm, per square centimeter	Always Investigational
Q4221	Amniowrap2, per square centimeter	Always Investigational
Q4222	Progenamatrix, per square centimeter	Always Investigational
~:	MyOwn skin, includes harvesting and preparation	, arraya mreedigadiena.
Q4226	procedures, per square centimeter	Always Investigational
~:==	Amniocore, per square centimeter	, arraya mreedigadiena.
Q4227	7 miniocore, per square centimeter	Always Investigational
	Bionextpatch, per square centimeter	, and participation of the second of the sec
Q4228	, , , , , , , , , , , , , , , , , , , ,	Always Investigational
-,	Cogenex amniotic membrane, per square centimeter	. ,
Q4229		Always Investigational
-,	Cogenex flowable amnion, per 0.5 cc	7
Q4230	J : : : : : : : : : : : : : : : : : : :	Always Investigational

Code	Code Description	Clinical Edit
Q4231	Corplex p, per cc	Always Investigational
	Corplex, per square centimeter	, ,
Q4232		Always Investigational
	Surfactor or nudyn, per 0.5 cc	, ,
Q4233	, , ,	Always Investigational
	Xcellerate, per square centimeter	
Q4234		Always Investigational
	Amniorepair or altiply, per square centimeter	
Q4235		Always Investigational
	Carepatch, per square centimeter	
Q4236		Always Investigational
	Cryo-cord, per square centimeter	
Q4237		Always Investigational
	Derm-maxx, per square centimeter	
Q4238		Always Investigational
	Amnio-maxx or amnio-maxx lite, per square centimeter	
Q4239		Always Investigational
	Corecyte, for topical use only, per 0.5 cc	
Q4240		Always Investigational
	Polycyte, for topical use only, per 0.5 cc	
Q4241		Always Investigational
	Amniocyte plus, per 0.5 cc	
Q4242		Always Investigational
	Procenta, per 200 mg	
Q4244		Always Investigational
	Amniotext, per cc	
Q4245		Always Investigational
	Coretext or protext, per cc	
Q4246		Always Investigational
	Amniotext patch, per square centimeter	
Q4247		Always Investigational
	Dermacyte amniotic membrane allograft, per square	
	centimeter	
Q4248		Always Investigational
S1090	Mometasone furoate sinus implant, 370 micrograms	Always Investigational
	Decompression procedure, percutaneous, of nucleus	
	pulposus of intervertebral disc, using radiofrequency	
S2348	energy, single or multiple levels, lumbar	Always Investigational
S2348	Decompress disc RF lumbar	Always Investigational
	Diskectomy, anterior, with decompression of spinal cord	
	and/or nerve root(s), including osteophytectomy; lumbar,	
S2350	single interspace	Always Investigational

Code	Code Description	Clinical Edit
	Diskectomy, anterior, with decompression of spinal cord	
	and/or nerve root(s), including osteophytectomy; lumbar,	
	each additional interspace (list separately in addition to	
S2351	code for primary procedure)	Always Investigational
S3650	Saliva test, hormone level; during menopause	Always Investigational
S3652	Saliva test, hormone level; to assess preterm labor risk	Always Investigational
	Dose Optimization By Area Under The Curve (Auc) Analysis,	
S3722	For Infusional 5-Fluorouracil	Always Investigational
S8040	Topographic Brain Mapping	Always Investigational
S8130	Interferential current stimulator, 2 channel	Always Investigational
S8131	Interferential current stimulator, 4 channel	Always Investigational
S8930	Auricular electrostimulation	Always Investigational
	Application of a modality (requiring constant provider	
	attendance) to one or more areas; low-level laser; each 15	
S8948	minutes	Always Investigational
S9090	Vertebral Axial Decompression	Always Investigational